

Patient: DOE, JOHN

Sex: Male **DOB:** 01/01/2001

Reference #: D20-04229

Clinician: JOHN DOE, MD

Specialty Group: Facility Name Tel/Fax: (123) 456-7890 / --

CC: N/A

Case #: D20-04229

Collected: 11/16/2020 Received: 11/16/2020 Reported: 11/19/2020

Dermatopathology Report

DIAGNOSIS:

A. SKIN, LEFT PROXIMAL DORSAL FOREARM, SHAVE BIOPSY BASAL CELL CARCINOMA, NODULAR.

B. SKIN, RIGHT PROXIMAL PRETIBIAL REGION, SHAVE BIOPSY BASAL CELL CARCINOMA, NODULAR.

Clinical History

Site A: Squamous Cell Carcinoma vs. Basal Cell Carcinoma vs. Actinic Keratosis, Site B: Squamous Cell Carcinoma vs. Basal Cell Carcinoma

Microscopic Description

A: In the dermis there are nodular aggregations of peripherally palisaded basal neoplastic cells with small hyperchromatic nuclei, nuclear pleomorphism, and scanty cytoplasm typical of basal cell carcinoma.

B: In the dermis there are nodular aggregations of peripherally palisaded basal neoplastic cells with small hyperchromatic nuclei, nuclear pleomorphism, and scanty cytoplasm typical of basal cell carcinoma.

Gross Description

A: Received in formalin is a 0.8 cm skin shave biopsy. Specimen is bisected and submitted in toto in one white cassette.

B: Received in formalin is a 0.8 cm skin shave biopsy. Specimen is bisected and submitted in toto in one white cassette. IL/MS

Electronic Signature

Carlos Ricotti, MD

Board Certified Dermatopathologist

CPT Code(s): 88305(2)

*** END OF REPORT ***

Fax: (786) 513-0175 Page 1/1